

1. 화학제품과 회사에 관한 정보

가. 제품명

제품 형태	: 혼합물
제품명	: SUNRISE SURFING AA03402

나. 제품의 권고 용도와 사용상의 제한

사용 용도

25 - 향수 및, 향

○ 제품의 권고 용도

화장품 및 생활용품 첨가용.

○ 제품의 사용상의 제한

식품 및 식품첨가물로 사용할 수 없음.

다. 공급자 정보

- 공급업체

○ 회사명	: 파도스튜디오
○ 주소	: 강원 강릉시 주문로23,2층
○ 전화	: 010-5054-7234
○ 팩스	: 없음
○ 전자우편	: gohkgo_@naver.com

2. 유해성·위험성

가. 유해성·위험성 분류

인화성 액체, 구분 4	H227
피부 과민성, 구분 1	H317
만성 수생환경, 구분 2	H411

나. 예방조치문구를 포함한 경고표지 항목

○ 위험 표시 그림문자 (GHS KR)



SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

○ 신호어 (GHS KR)

경고.

○ 유해·위험 문구 (GHS KR)

H227 - 가연성 액체.

H317 - 알레르기성 피부 반응을 일으킬 수 있음.

H411 - 장기적인 영향에 의해 수생생물에게 유독함.

○ 예방 조치 문구 (GHS KR)

예방:

P210 - 열, 고온의 표면, 스파크, 화염 및 그 밖의 점화원으로부터 멀리하십시오. 금연.

P261 - 분진/흙/가스/미스트/증기/스프레이의 흡입을 피하십시오.

P272 - 작업장 밖으로 오염된 의류를 반출하지 마십시오.

P273 - 환경으로 배출하지 마십시오.

P280 - 보호장갑/보호의/보안경/안면보호구(을) 착용하십시오.

대응:

P302+P352 - 피부에 묻으면: 다량의 물 로 씻으십시오.

P321 - 응급 처치를 하십시오.

P333+P313 - 피부 자극 또는 홍반이 나타나면: 의학적인 조치/조언을 받으십시오.

P362+P364 - 오염된 의류를 벗고 다시 사용 전 세척하십시오.

P370+P378 - 화재 시: 불을 끄기 위해 물 이외의 소화제 을(를) 사용하십시오.

P391 - 누출물을 모으십시오.

저장:

P403 - 환기가 잘 되는 곳에 보관하십시오.

폐기:

P501 - 폐기를 관련 법령에 따라 내용물·용기를 폐기하십시오.

다. 유해성·위험성 분류기준에 포함되지 않는 기타 유해성·위험성

자료없음

3. 구성성분의 명칭 및 함유량

제품 형태 : 혼합물

화학물질명	관용명 및 이명	제품 식별 번호	함유량 (%)
ACETYLCEDRENE	-	CAS 번호: 32388-55-9 기존화학물질 번호: KE-05-0697	5 - 10

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

화학물질명	관용명 및 이명	제품 식별 번호	함유량 (%)
2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE	-	CAS 번호: 68039-49-6 기존화학물질 번호: KE-11299	1 – 2.5
TERPINEOL	-	CAS 번호: 98-55-5 기존화학물질 번호: KE-34461	1 – 2.5
TETRAHYDROLINALOOL	-	CAS 번호: 78-69-3 기존화학물질 번호: KE-11637	2.5 – 5
PINENE	-	CAS 번호: 80-56-8 기존화학물질 번호: KE-34427	< 0.1
CITRAL	-	CAS 번호: 5392-40-5 기존화학물질 번호: KE-11579	0.5 – 1
LIMONENE	-	CAS 번호: 5989-27-5 기존화학물질 번호: KE-24397	1 – 2.5
LINALOOL	-	CAS 번호: 78-70-6 기존화학물질 번호: KE-11592	0.5 – 1
ETHYL HYDROXYPYRONE	-	CAS 번호: 4940-11-8 기존화학물질 번호: KE-13879	1 – 2.5
EUGENOL	-	CAS 번호: 97-53-0 기존화학물질 번호: KE-23385	0.5 – 1
CINNAMAL	-	CAS 번호: 104-55-2 기존화학물질 번호: KE-28422	< 0.1
ISOEUGENOL	-	CAS 번호: 97-54-1 기존화학물질 번호: KE-23384	< 0.1
BENZYL BENZOATE	-	CAS 번호: 120-51-4 기존화학물질 번호: KE-02782	< 0.1

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

화학물질명	관용명 및 이명	제품 식별 번호	함유량 (%)
GERANIOL	-	CAS 번호: 106-24-1 기존화학물질 번호: KE-11596	< 0.1
BENZYL ALCOHOL	-	CAS 번호: 100-51-6 기존화학물질 번호: KE-02570	< 0.1
BENZYL CINNAMATE	-	CAS 번호: 103-41-3 기존화학물질 번호: KE-02821	< 0.1
BENZOIC ACID	-	CAS 번호: 65-85-0 기존화학물질 번호: KE-02696	< 0.1
VANILLIN	-	CAS 번호: 121-33-5 기존화학물질 번호: KE-20615	0.1 – 0.5

4. 응급조치 요령

가. 눈에 들어갔을 때

주의사항에 따라 물로 눈을 헹구시오.

나. 피부에 접촉했을 때

다량의 물로 피부를 씻으십시오.

오염된 의복을 벗으십시오.

피부자극성 또는 홍반이 나타나면 의학적인 조치·조언을 구하십시오.

다. 흡입했을 때

신선한 공기가 있는 곳으로 옮기고 호흡하기 쉬운 자세로 안정을 취하십시오.

라. 먹었을 때

불편함을 느끼면 의료기관(의사)의 진찰을 받으시오.

마. 기타 의사의 주의사항

증상에 따라 치료하십시오.

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

5. 폭발·화재시 대처방법

가. 적절한 (및 부적절한) 소화제

적절한 소화제 : 물 분무, 건조 분말, 포말, 이산화탄소.
부적절한 소화제 : 해당없음

나. 화학물질로부터 생기는 특정 유해성

화재 위험 : 가연성 액체.

다. 화재 진압 시 착용할 보호구 및 예방조치

화재 진압 중 보호 : 적절한 보호 장비 없이 조치를 취하려고 하지 마시오. 자급식 호흡보호구, 전신 보호복.

6. 누출 사고 시 대처방법

가. 인체를 보호하기 위해 필요한 조치사항 및 보호구

유출지역을 환기시키시오.
화염, 스파크에 노출 금지. 금연.
피부 및 눈과의 접촉을 피하십시오.
분진·흙·가스·미스트·증기·스프레이 의 흡입을 피하십시오.
적절한 보호 장비 없이 조치를 취하려고 하지 마시오.
보다 자세한 정보는 섹션 8: "노출방지 및 개인보호구"를 참조하십시오.
물질 또는 고체 잔류물은 공인 시설에서 폐기하십시오.

나. 환경을 보호하기 위해 필요한 조치사항

환경으로 배출하지 마시오.

다. 정화 또는 제거 방법

누출물을 모으시오.
액체 흡수성 물질 (예를 들어 Chemizorb®)로 흡수시키시오.
제품이 하수구 또는 상하수도로 들어갈 경우 당국에 통보.

7. 취급 및 저장방법

가. 안전취급요령

작업장의 환기 상태가 양호한지 확인하십시오.
열·스파크·화염·고열로부터 멀리하십시오 - 금연.
개인 보호구를 착용하십시오.
피부 및 눈과의 접촉을 피하십시오.
분진·흙·가스·미스트·증기·스프레이 의 흡입을 피하십시오.

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

- 작업장 밖으로 오염된 의복을 반출하지 마시오.
- 다시 사용전 오염된 의복은 세척하십시오.
- 이 제품을 사용할 때에는 먹거나, 마시거나 흡연하지 마시오.
- 제품 취급 후 반드시 손을 씻으시오.

나. 안전한 저장 방법

- 환기가 잘 되는 곳에 보관하십시오.
- 저온으로 유지하십시오.

8. 노출방지 및 개인보호구

가. 화학물질의 노출기준, 생물학적 노출기준 등

SUNRISE SURFING AA03402
자료 없음
ACETYLCEBRENE (32388-55-9)
자료 없음
2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)
자료 없음
TERPINEOL (98-55-5)
자료 없음
TETRAHYDROLINALOOL (78-69-3)
자료 없음
PINENE (80-56-8)
자료 없음
CITRAL (5392-40-5)
자료 없음
LIMONENE (5989-27-5)
자료 없음
LINALOOL (78-70-6)
자료 없음

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

ETHYL HYDROXYPYRONE (4940-11-8)
자료 없음
EUGENOL (97-53-0)
자료 없음
CINNAMAL (104-55-2)
자료 없음
ISOEUGENOL (97-54-1)
자료 없음
BENZYL BENZOATE (120-51-4)
자료 없음
GERANIOL (106-24-1)
자료 없음
BENZYL ALCOHOL (100-51-6)
자료 없음
BENZYL CINNAMATE (103-41-3)
자료 없음
BENZOIC ACID (65-85-0)
자료 없음
VANILLIN (121-33-5)
자료 없음

나. 적절한 공학적 관리

- 적절한 공학적 관리 : 작업장의 환기 상태가 양호한지 확인하십시오.
- 환경 노출 관리 : 환경으로 배출하지 마시오.

다. 개인보호구

손 보호:
보호 장갑

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

눈 보호:

보안경

신체 보호:

적절한 보호복을 착용하십시오

호흡기 보호:

환기가 불충분할 경우, 적절한 호흡 장비를 착용하십시오

신체 보호 장비 기호:



9. 물리화학적 특성

가. 외관	: 자료없음
물리적 상태	: 액체.
색상	: 미황색 - 적황색.
나. 냄새	: 자료없음
다. 냄새 역치	: 자료없음
라. pH	: 자료없음
마. 녹는점/어는점	: 해당없음 /
바. 초기 끓는점과 끓는점 범위	: 자료없음
사. 인화점	: 89 °C
아. 증발 속도	: 자료없음
자. 인화성(고체, 기체)	: 해당없음.
차. 인화 또는 폭발 범위의 상한/하한	: 자료없음
카. 증기압	: 자료없음
타. 용해도	: 자료없음
파. 증기밀도	: 자료없음
하. 비중	: 0.8969 – 0.9169
거. n 옥탄올/물 분배계수	: 자료없음
너. 자연발화 온도	: 자료없음
더. 분해 온도	: 자료없음
러. 점도(동점도)	: 자료없음
점도(역학점도)	: 자료없음
머. 분자량	: 자료없음

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

기타
글꼴 : 1.4473 – 1.4573

10. 안정성 및 반응성

가. 화학적 안정성 및 유해 반응의 가능성

정상적 사용, 보관 및 운송 조건에서 반응하지 않는 제품.
정상적인 조건에서는 안정적.
정상 사용 조건에서 알려진 위험 반응 없음.

나. 피해야 할 조건

뜨거운 표면과 접촉을 피하십시오.
열.
화염, 스파크, 점화원을 일체 제거하십시오.

다. 피해야 할 물질

자료없음

라. 분해시 생성되는 유해물질

정상적인 보관 및 사용 조건에서는 유해 분해물이 발생하지 않습니다.

11. 독성에 관한 정보

가. 가능성이 높은 노출 경로에 관한 정보

경구 : 분류되지 않음
피부 및 눈 접촉 : 알레르기성 피부 반응을 일으킬 수 있음.
흡입 : 분류되지 않음

나. 건강 유해성

급성 독성 (경구):

분류되지 않음

급성 독성 (경피):

분류되지 않음

급성 독성 (흡입):

분류되지 않음

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

ACETYLCDRENE (32388-55-9)	
LD50 경피 토끼	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

TERPINEOL (98-55-5)	
LD50 경구 랫드	4300 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2900 - 5700
LD50 경피 랫드	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

TETRAHYDROLINALOOL (78-69-3)	
LD50 경구 랫드	> 5000 mg/kg Source: Registry of Toxic Effects of Chemical Substances
LD50 경피 토끼	> 5000 mg/kg Source: Registry of Toxic Effects of Chemical Substances

PINENE (80-56-8)	
LD50 경구 랫드	2100 mg/kg Source: International Uniform Chemical Information Database
LD50 경피 랫드	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))

CITRAL (5392-40-5)	
LD50 경구 랫드	3450 mg/kg
LD50 경피 랫드	> 2000 mg/kg bodyweight Animal: rat
LD50 경피 토끼	2250 mg/kg

LIMONENE (5989-27-5)	
LD50 경구 랫드	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 경피 토끼	> 5000 mg/kg Source: National Library of Medicine

LINALOOL (78-70-6)	
LD50 경구 랫드	3000 mg/kg Source: OECD Screening Information Data Set
LD50 경피 토끼	≥ 2000 mg/kg Source: OECD Screening Information Data Set

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

ETHYL HYDROXYPYRONE (4940-11-8)	
LD50 경구 랫드	1150 mg/kg Source: NLM;chemIDplus, TOMES;LOLI;
LD50 경피 토끼	5000 mg/kg Source: NLM;chemIDplus, TOMES;LOLI;

EUGENOL (97-53-0)	
LD50 경구 랫드	1930 mg/kg
LD50 경구	1500 – 1500 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LC50 흡입 - 랫드(중기)	> 2580 mg/l

CINNAMAL (104-55-2)	
LD50 경구 랫드	2200 – 3400 mg/kg Source: IUCLID
LD50 경구	3400 mg/kg bodyweight Animal: guinea pig, Guideline: other:
LD50 경피 랫드	> 2000 mg/kg Source: IUCLID
LD50 경피 토끼	1260 mg/kg bodyweight Animal: rabbit, Guideline: other:
LC50 흡입 - 랫드(가스)	68.88871 ppm Animal: rat, Guideline: other:Not Applicable;OECD Guideline 403 (Acute Inhalation Toxicity)

ISOEUGENOL (97-54-1)	
LD50 경구 랫드	1560 mg/kg Source: Corporate Solution From Thomson Micromedex

BENZYL BENZOATE (120-51-4)	
LD50 경구 랫드	1700 mg/kg Source: HSDB
LD50 경피 토끼	4000 mg/kg

GERANIOL (106-24-1)	
LD50 경구 랫드	3600 mg/kg
LD50 경피 토끼	> 5000 mg/kg Source: IUCLID,NLM,THOMSON

BENZYL ALCOHOL (100-51-6)	
LD50 경구 랫드	1610 mg/kg Source: OECD SIDS

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

BENZYL ALCOHOL (100-51-6)	
LD50 경구	1580 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1410 - 1770
LD50 경피 랫드	2000 mg/kg
LD50 경피 토끼	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity), Remarks on results: other:
LC50 흡입 - 랫드	> 4.178 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 흡입 - 랫드(증기)	> 4.178 mg/l

BENZYL CINNAMATE (103-41-3)	
LD50 경구 랫드	5530 mg/kg Source: Corporate Solution From Thomson Micromedex
LD50 경피 토끼	> 3000 mg/kg bodyweight Animal: rabbit

BENZOIC ACID (65-85-0)	
LD50 경구 랫드	1700 mg/kg Source: International Uniform Chemical Information Database
LD50 경구	2250 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1875 - 2700
LD50 경피 토끼	> 5000 mg/kg Source: International Uniform Chemical Information Database
LC50 흡입 - 랫드	> 12.2 mg/l air Animal: rat

VANILLIN (121-33-5)	
LD50 경구 랫드	3928 – 3976 mg/kg Source: SIDS
LD50 경피 랫드	5010 mg/kg Source: SIDS, THOMSON

피부 부식성 또는 자극성:

분류되지 않음

심한 눈 손상 또는 자극성:

분류되지 않음

호흡기 과민성:

분류되지 않음

피부 과민성:

알레르기성 피부 반응을 일으킬 수 있음.

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

발암성:

분류되지 않음

CITRAL (5392-40-5)	
NOAEL (급성, 경구, 동물/수컷, 2 년)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)

GERANIOL (106-24-1)	
NOAEL (급성, 경구, 동물/수컷, 2 년)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)

생식세포 변이원성:

분류되지 않음

생식독성:

분류되지 않음

특정 표적장기 독성 (1 회 노출):

분류되지 않음

특정 표적장기 독성 (반복 노출):

분류되지 않음

ACETYLCEDRENE (32388-55-9)	
NOAEL (경구, 랫드, 90 일)	80 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (경피, 랫드/토끼, 90 일)	300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

TERPINEOL (98-55-5)	
NOAEL (경구, 랫드, 90 일)	≥ 314 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

TETRAHYDROLINALOOL (78-69-3)	
NOAEL (경피, 랫드/토끼, 90 일)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

CITRAL (5392-40-5)	
LOAEC (흡입, 랫드, 가스, 90 일)	68 ppm Animal: rat, Animal sex: female
NOAEL (경구, 랫드, 90 일)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (흡입, 랫드, 가스, 90 일)	34 ppm Animal: rat, Animal sex: female
NOAEL (아급성, 경구, 동물/수컷, 90 일)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

LINALOOL (78-70-6)	
NOAEL (경피, 랫드/토끼, 90 일)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

ETHYL HYDROXYPYRONE (4940-11-8)	
NOAEL (경구, 랫드, 90 일)	≥ 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

EUGENOL (97-53-0)	
NOAEL (아급성, 경구, 동물/수컷, 90 일)	≥ 900 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: other:OECD Guideline 451 (Carcinogenicity Studies)
NOAEL (아급성, 경구, 동물/암컷, 90 일)	450 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: other:OECD Guideline 451 (Carcinogenicity Studies)

CINNAMAL (104-55-2)	
NOAEL (경구, 랫드, 90 일)	200 mg/kg bodyweight Animal: rat, Guideline: other:

BENZYL BENZOATE (120-51-4)	
NOAEL (경피, 랫드/토끼, 90 일)	781 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)

GERANIOL (106-24-1)	
NOAEL (경피, 랫드/토끼, 90 일)	300 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 421 (Reproduction/Developmental Toxicity Screening test), Guideline: other:EPA OPPTS 870.3550 (Reproduction/Developmental Toxicity Screening Test)

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

BENZYL ALCOHOL (100-51-6)	
NOAEL (경구, 랫드, 90 일)	400 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 451 (Carcinogenicity Studies)

BENZYL CINNAMATE (103-41-3)	
NOAEL (경구, 랫드, 90 일)	600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Remarks on results: other:

BENZOIC ACID (65-85-0)	
NOAEL (경구, 랫드, 90 일)	1000 mg/kg bodyweight Animal: rat
NOAEL (경피, 랫드/토끼, 90 일)	> 2500 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPP 82-2 (Repeated Dose Dermal Toxicity -21/28 Days)
NOAEC (흡입, 랫드, 분진/미스트/흠, 90 일)	≤ 0.025 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)
특정 표적장기 독성 (반복 노출)	장기간 또는 반복노출 되면 장기에 손상을 일으킴.

흡인 유해성:

분류되지 않음

ACETYLCEBRENE (32388-55-9)	
점도(동점도) (계산 값) (40 °C)	38.25 mm ² /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm ² /s)'
밀도	1001 kg/m ³ Type: 'density' Temp.: 20 °C
점도(동점도)	38.25 mm ² /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm ² /s)'

TERPINEOL (98-55-5)	
점도(역학점도)	37.9 cP Source: ECHA

TETRAHYDROLINALOOL (78-69-3)	
점도(동점도) (계산 값) (40 °C)	13.393 mm ² /s
밀도	826 g/l Type: 'density' Temp.: 25 °C
점도(역학점도)	11.063 mPa·s Temp.: 'other:25.0°C' Parameter: 'dynamic viscosity (in mPa s)'

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

PINENE (80-56-8)	
점도(역학점도)	1.296 mPa·s Temp.: 'other:298.15K' Parameter: 'dynamic viscosity (in mPa s)'

LIMONENE (5989-27-5)	
점도(역학점도)	0.846 mPa·s Temp.: 'other:298.15K' Parameter: 'dynamic viscosity (in mPa s)'

LINALOOL (78-70-6)	
점도(동점도) (계산 값) (40 °C)	5.192 mm ² /s
밀도	0.86 g/cm ³ Type: 'density' Temp.: 293,15 °C
점도(역학점도)	4.465 mPa·s Temp.: 'other:298.15K' Parameter: 'dynamic viscosity (in mPa s)'

ETHYL HYDROXYPYRONE (4940-11-8)	
밀도	1390 kg/m ³ Type: 'density' Temp.: 20 °C Remarks on result: 'other:'

EUGENOL (97-53-0)	
점도(역학점도)	7.817 cP Source: HSDB

CINNAMAL (104-55-2)	
점도(동점도) (계산 값) (40 °C)	13.591 mm ² /s
밀도	0.944 g/cm ³ Type: 'bulk density' Temp.: 27 °C
점도(역학점도)	12.83 mPa·s Temp.: 'other:27.0°C' Parameter: 'dynamic viscosity (in mPa s)'

ISOEUGENOL (97-54-1)	
점도(역학점도)	7.476 cP Source: HSDB

BENZYL BENZOATE (120-51-4)	
점도(역학점도)	8.292 cP Source: HSDB

GERANIOL (106-24-1)	
점도(역학점도)	8.21 mPa·s Temp.: '20°C' Parameter: 'dynamic viscosity (in mPa s)'

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

BENZYL ALCOHOL (100-51-6)	
점도(동점도) (계산 값) (40 °C)	0.005 mm ² /s
밀도	1041 g/cm ³ Type: 'density' Temp.: 24 °C
점도(역학점도)	5.05 mPa·s Temp.: 'other:' Parameter: 'dynamic viscosity (in mPa s)' Remarks on result: 'other:'

BENZOIC ACID (65-85-0)	
점도(역학점도)	1.26 cP Source: HSDB

VANILLIN (121-33-5)	
밀도	1.06 g/cm ³ Type: 'density' Temp.: 20 °C

12. 환경에 미치는 영향

가. 생태독성

- 생태학 - 일반 : 장기적인 영향에 의해 수생생물에게 유독함.
- 수중 환경에 유해, 단기 (급성) : 분류되지 않음
- 수중 환경에 유해, 장기 (만성) : 장기적인 영향에 의해 수생생물에게 유독함.

ACETYLCEBRENE (32388-55-9)	
LC50 - 어류 [1]	2.3 mg/l Test organisms (species): Pimephales promelas
LC50 - 어류 [2]	3 mg/l Test organisms (species): Pimephales promelas
EC50 - 갑각류 [1]	0.86 mg/l Test organisms (species): Daphnia magna
LOEC (만성)	0.23 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (만성)	0.087 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)	
LC50 - 어류 [1]	2.82 mg/l Source: EPISUITE v4.1

TERPINEOL (98-55-5)	
LC50 - 어류 [1]	6.3 mg/l Source: ECOTOX
EC50 - 갑각류 [1]	73 mg/l Test organisms (species): Daphnia magna

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

TERPINEOL (98-55-5)	
EC50 72 시간 - 조류 [1]	≈ 68 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72 시간 - 조류 [2]	≈ 17 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
n 옥탄올/물 분배계수 (Log Pow)	2.98 Source: HSDB

TETRAHYDROLINALOOL (78-69-3)	
LC50 - 어류 [1]	4.741 mg/l Source: Ecological Structure Activity Relationships
EC50 - 갑각류 [1]	14.2 mg/l Test organisms (species): Daphnia magna
EC50 72 시간 - 조류 [1]	21.6 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
n 옥탄올/물 분배계수 (Log Pow)	3.6 Source: Ecological Structure Activity Relationships

PINENE (80-56-8)	
LC50 - 어류 [1]	0.28 mg/l Source: International Uniform Chemical Information Database
EC50 - 갑각류 [1]	0.475 mg/l Test organisms (species): Daphnia magna
n 옥탄올/물 분배계수 (Log Pow)	4.834 Source: International Uniform Chemical Information Database

CITRAL (5392-40-5)	
LC50 - 어류 [1]	6.78 mg/l Test organisms (species): Leuciscus idus
EC50 - 갑각류 [1]	6.8 mg/l Test organisms (species): Daphnia magna
EC50 72 시간 - 조류 [1]	103.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
n 옥탄올/물 분배계수 (Log Pow)	3.45

LIMONENE (5989-27-5)	
LC50 - 어류 [1]	720 µg/l Test organisms (species): Pimephales promelas
LC50 - 어류 [2]	702 µg/l Test organisms (species): Pimephales promelas
EC50 - 갑각류 [1]	0.36 mg/l Test organisms (species): Daphnia magna
EC50 - 갑각류 [2]	0.51 mg/l Test organisms (species): Daphnia magna

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

LIMONENE (5989-27-5)	
EC50 72 시간 - 조류 [1]	≈ 8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72 시간 - 조류 [2]	0.214 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (만성)	0.115 mg/l Test organisms (species): other:For freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex. Duration: '16 d'
n 옥탄올/물 분배계수 (Log Pow)	4.38 Source: ECHA Registered substances

LINALOOL (78-70-6)	
LC50 - 어류 [1]	46 mg/l Source: International Uniform Chemical Information Database
EC50 - 갑각류 [1]	20 mg/l Source: International Uniform Chemical Information Database
n 옥탄올/물 분배계수 (Log Pow)	2.97 Source: International Chemical Safety Cards

ETHYL HYDROXYPRONE (4940-11-8)	
LC50 - 어류 [1]	4.683 mg/l Source: EPISUITE
EC50 - 갑각류 [1]	0.595 mg/l Source: EPISUITE
EC50 72 시간 - 조류 [1]	7.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
n 옥탄올/물 분배계수 (Log Pow)	0.63 Source: NITE

EUGENOL (97-53-0)	
LC50 - 어류 [1]	24 mg/l Source: ECOTOX
EC50 - 갑각류 [1]	1.05 mg/l Test organisms (species): Daphnia magna
n 옥탄올/물 분배계수 (Log Pow)	2.27 Source: ChemIDplus

CINNAMAL (104-55-2)	
LC50 - 어류 [1]	81 – 163 mg/l Source: IUCLID
EC50 - 갑각류 [1]	119.5578 mg/l Test organisms (species): Daphnia magna
NOEC 만성 어류	15159 mg/l Test organisms (species): other: Duration: '28 d'
n 옥탄올/물 분배계수 (Log Pow)	1.9

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

ISOEUGENOL (97-54-1)	
LC50 - 어류 [1]	9.59 mg/l Source: Ecological Structure Activity Relationships
n 옥탄올/물 분배계수 (Log Pow)	3.04 Source: ChemIDplus

BENZYL BENZOATE (120-51-4)	
LC50 - 어류 [1]	2.32 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - 갑각류 [1]	3.09 mg/l Test organisms (species): Daphnia magna
n 옥탄올/물 분배계수 (Log Pow)	3.97 Source: ICSC

GERANIOL (106-24-1)	
LC50 - 어류 [1]	3.7 mg/l Source: ECOTOX
EC50 - 갑각류 [1]	10.8 mg/l Test organisms (species): Daphnia magna
EC50 72 시간 - 조류 [1]	13.1 mg/l Test organisms (species): Desmodemus subspicatus (previous name: Scenedesmus subspicatus)
n 옥탄올/물 분배계수 (Log Pow)	3.56

BENZYL ALCOHOL (100-51-6)	
LC50 - 어류 [1]	10 mg/l
EC50 - 갑각류 [1]	230 mg/l Test organisms (species): Daphnia magna
EC50 72 시간 - 조류 [1]	770 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72 시간 - 조류 [2]	500 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (만성)	51 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC 만성 어류	48897 mg/l Test organisms (species): other: Duration: '30 d'
n 옥탄올/물 분배계수 (Log Pow)	1.1

BENZYL CINNAMATE (103-41-3)	
LC50 - 어류 [1]	1.536 mg/l Source: Ecological Structure Activity Relationships
EC50 - 갑각류 [1]	2.8 mg/l Source: ECHA Registered substance
EC50 72 시간 - 조류 [1]	0.386 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

BENZYL CINNAMATE (103-41-3)	
EC50 72 시간 - 조류 [2]	0.158 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
n 옥탄올/물 분배계수 (Log Pow)	4.18 Source: ECHA Registered substance

BENZOIC ACID (65-85-0)	
LC50 - 어류 [1]	180 mg/l Source: ECOTOX
LC50 - 어류 [2]	44.6 mg/l Test organisms (species): Lepomis macrochirus
EC50 - 갑각류 [1]	860 mg/l Source: The ECOTOXicology database
EC50 72 시간 - 조류 [1]	> 33.1 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (만성)	≥ 25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC 만성 어류	> 120 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'
n 옥탄올/물 분배계수 (Log Pow)	1.87 Source: National Library of Medicine/Hazardous Substances Data Bank

VANILLIN (121-33-5)	
LC50 - 어류 [1]	≥ 57 mg/l Source: IUCLID
LC50 - 어류 [2]	57 mg/l Test organisms (species): Pimephales promelas
EC50 - 갑각류 [1]	36.79 mg/l Test organisms (species): Daphnia magna
EC50 72 시간 - 조류 [1]	120 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (만성)	10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (만성)	5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
n 옥탄올/물 분배계수 (Log Pow)	1.21 Source: ICSC

나. 잔류성 및 분해성

자료없음

다. 생물 농축성

자료없음

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

라. 토양 이동성

ACETYLCEBRENE (32388-55-9)

토양 이동성	3.8 Source: Quantitative Structure Activity Relation
--------	--

2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)

토양 이동성	187.2 Source: EPISUITE v4.1
--------	-----------------------------

TERPINEOL (98-55-5)

토양 이동성	1000 Source: HSDB
--------	-------------------

n 옥탄올/물 분배계수 (Log Pow)	2.98 Source: HSDB
------------------------	-------------------

TETRAHYDROLINALOOL (78-69-3)

토양 이동성	319.8 Source: EPI Suite
--------	-------------------------

n 옥탄올/물 분배계수 (Log Pow)	3.6 Source: Ecological Structure Activity Relationships
------------------------	---

PINENE (80-56-8)

토양 이동성	2600 Source: HSDB
--------	-------------------

n 옥탄올/물 분배계수 (Log Pow)	4.834 Source: International Uniform Chemical Information Database
------------------------	---

LINALOOL (78-70-6)

토양 이동성	76 Source: HSDB
--------	-----------------

n 옥탄올/물 분배계수 (Log Pow)	2.97 Source: International Chemical Safety Cards
------------------------	--

ETHYL HYDROXYPYRONE (4940-11-8)

토양 이동성	9.271 Source: EPISUITE
--------	------------------------

n 옥탄올/물 분배계수 (Log Pow)	0.63 Source: NITE
------------------------	-------------------

EUGENOL (97-53-0)

토양 이동성	409 Source: HSDB
--------	------------------

n 옥탄올/물 분배계수 (Log Pow)	2.27 Source: ChemIDplus
------------------------	-------------------------

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

마. 기타 유해 영향

오존층 파괴물질 : 분류되지 않음
 기타 유해 영향 : 자료 없음

13. 폐기시 주의사항





가. 폐기방법

공인 수거업체 표시 기호에 따라 내용물/용기 폐기.

나. 폐기시 주의사항(오염된 용기 및 포장의 폐기 방법을 포함함)

자료없음

14. 운송에 필요한 정보

UN RTDG	ADR	IMDG	IATA
가. 유엔 번호(UN No.)			
3082	해당없음	3082	3082
나. 유엔 적정 선적명			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	해당없음	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Environmentally hazardous substance, liquid, n.o.s.
다. 운송에서의 위험성 등급			
9	해당없음	9	9
			
라. 용기등급			
III	해당없음	III	III
마. 해양오염물질			
환경에 위험: 해당	환경에 위험: 해당	환경에 위험: 해당 해양오염물질: 해당	환경에 위험: 해당
가용 추가 정보 없음			

바. 사용자가 운송 또는 운송수단에 관련해 알 필요가 있거나 필요한 특별한 안전대책

자료없음

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

15. 법적 규제현황

가. 산업안전보건법에 의한 규제

제조금지물질	해당없음
허가대상물질	해당없음
노출기준설정물질	해당없음
허용기준설정물질	해당없음
작업환경측정대상물질	해당없음
특수건강진단대상물질	해당없음
관리대상유해화학물질	해당없음

나. 화학물질관리법에 의한 규제

유독물질	해당없음
금지물질	해당없음
제한물질	해당없음
사고대비물질	해당없음

다. 화학물질의 등록 및 평가 등에 관한 법률에 의한 규제

한국 기준 화학 물질 목록(KECI)	기존화학물질 번호 : KE-05-0697. [3R-(3 α ,3 β ,7 β ,8 α)]-1-(2,3,4,7,8,8a-Hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one
	기존화학물질 번호 : KE-11299. 2,4-Dimethylcyclohex-3-ene-1-carbaldehyde
	기존화학물질 번호 : KE-34461. α , α ,4-Trimethyl-3-cyclohexene-1-methanol ; α -Terpineol
	기존화학물질 번호 : KE-11637. 3,7-Dimethyl-3-octanol
	기존화학물질 번호 : KE-34427. 2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene ; α -Pinene, Pin-2(3)-ene
	기존화학물질 번호 : KE-11579. Citral
	기존화학물질 번호 : KE-24397. (R)-1-Methyl-4-(1-methylethenyl)cyclohexene ; D-Limonene
	기존화학물질 번호 : KE-11592. Linalool
	기존화학물질 번호 : KE-13879. 2-Ethyl-3-hydroxy-4H-pyran-4-one ; 2-Ethyl-3-hydroxy-4-pyrone, Ethyl maltol
	기존화학물질 번호 : KE-23385. 2-Methoxy-4-(2-propenyl)phenol ; Eugenol, 4-Allyl-2-methoxyphenol, 4-Allylguaiacol
	기존화학물질 번호 : KE-28422. 3-Phenyl-2-propenal ; Cinnamic aldehyde
	기존화학물질 번호 : KE-23384. 2-Methoxy-4-(1-propenyl)phenol ; 4-Hydroxy-3-methoxy-1-propenylbenzene, Isoeugenol
	기존화학물질 번호 : KE-02782. Benzyl benzoate ; Benzoic acid phenylmethyl ester
	기존화학물질 번호 : KE-11596. (E)-3,7-Dimethyl-2,6-octadien-1-ol
	기존화학물질 번호 : KE-02570. Benzyl alcohol
	기존화학물질 번호 : KE-02821. Benzyl 3-phenylpropenoate ; Benzyl cinnamate

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

	기존화학물질 번호 : KE-02696. Benzoic acid
	기존화학물질 번호 : KE-20615. Vanillin
등록대상 기존화학물질	해당없음
중점관리물질 (한국)	해당없음
CMR 물질 (한국)	해당없음

라. 위험물 안전 관리법

위험물 안전 관리법	제 4 류 인화성 액체 - 5.제 3 석유류 (비수용성액체) (지정수량: 2,000 리터)
------------	---

마. 폐기물관리법에 의한 규제

지정폐기물에 함유된 유해물질	해당없음
폐기물의 종류	자료없음

바. 기타 국내 및 국제 규제 정보

국내

잔류성 유기오염물질 관리법	해당없음
오존층 보호를 위한 특정물질	해당없음

국제

EU 규제정보

EU 후보 목록 (SVHC)	REACH 후보 물질 미함유
EU authorization 목록 (REACH Annex XIV)	REACH 부록 XIV 에 등재된 물질 미함유
EU restriction 목록 (REACH Annex XVII)	해당없음

미국 규제정보

CERCLA 103 규정	Contains listed substances
EPCRA 302 규정	해당없음
EPCRA 304 규정	해당없음
EPCRA 313 규정	해당없음

국제 협약

자료없음

SUNRISE SURFING AA03402

물질안전보건자료

고용노동부고시 2020-130 에 따름

16. 그 밖의 참고사항

가. 자료의 출처:	ECHA(유럽화학물질청), 고용노동부고시 2020-130 에 따름, 공급업체 안전 문서, 물질 및 혼합물 분류, 라벨 부착 및 포장에 관한 2008 년 12 월 16 일자 유럽의회 및 유럽이사회 규정(EC) No 1272/2008, 지침 67/548/EEC 및 1999/45/EC 개정 및 폐지, 규정(EC) No 1907/2006 개정.
나. 최초 작성일자:	24/02/2022
다. 개정 횟수 및 최종 개정일자:	자료없음
라. 기타:	자료없음
마. 변경 표시:	자료없음

본 정보는 현재 저희가 보유하고 있는 지식을 토대로 한 것이며 보건, 안전 및 환경 요건에 대해서만 제품을 설명하고자 하는 것입니다. 그러므로 제품의 특수한 속성을 보장하는 것으로 해석되어서는 안 됩니다.

pAdO